

本公司提供的电子版说明书仅供参考，实验请以收到的纸质手册为准。

Anti-Human EXOSC2 Monoclonal Antibody

单克隆抗体

产品货号: MA01964

第三版

免疫原:Fusion protein of EXOSC2

亚型:IgG2a

克隆:374

**描述:**In the nucleus,the RNA exosome complex is involved in proper maturation of stable RNA species such as rRNA,snoRNA and snRNA,in the elimination of RNA processing by-products and non-coding 'pervasive' transcripts,such as antisense RNA species and promoter-upstream transcripts (PROMPTs),and of mRNAs with processing defects,thereby limiting or excluding their export to the cytoplasm. In the cytoplasm,the RNA exosome complex is involved in general mRNA turnover and specifically degrades inherently unstable mRNAs containing AU-rich elements (AREs) within their 3' untranslated regions,and in RNA surveillance pathways,preventing translation of aberrant mRNAs . EXOSC2 is a non-catalytic component of the RNA exosome complex that has 3'->5' exoribonuclease activity and involves in a multitude of cellular RNA processing and degradation events .

**配方:**

浓度:None

保存: +4 ° C 保存 (1-2 周). 长期保存在-20 ° C或者-70 ° C. 避免反复冻融.

应用:ELISA, WB, ICC/IF