

本公司提供的电子版说明书仅供参考，实验请以收到的纸质手册为准。

C-ERC/Mesothelin (308) Anti-Mouse Rabbit IgG Affinity Purify

多克隆抗体

产品货号: PA01073

第三版

描述: Erc has been identified as a gene showing stronger expression in cancer-affected renal tissue than in normal renal tissue in Eker rats (a rat model of renal cancer). The human homologue of the protein encoded by this gene is called MPF (megakaryocyte potentiating factor) or mesothelin. This protein is detected especially prominently in mesothelial cells, and its involvement has been suggested in the development of mesothelioma, making it a promising tumor marker. In humans, involvement of this protein has also been suggested in the development of pancreatic, ovarian and pulmonary cancers, etc. The protein is expressed as a GPI anchor-type membranous protein (about 71 kDa in molecular weight), which is thought to be digested by a furin-like protease to yield fragments about 31 kDa of N-terminal side and about 40 kDa of C-terminal side. We think it is helpful for research of ERC/Mesothelin protein and have characterized the 31 kDa fragment as N-ERC/Mesothelin and the 40 kDa fragment as C-ERC/Mesothelin. This antibody is recognizes mouse C-ERC/Mesothelin.

抗原: Synthetic peptide of a part of mouse C-ERC/Mesothelin (KEPYKVDEDLIFYQNWELEA)

配方: Lyophilized product in PBS containing 1 % BSA and 0.05 % NaN₃.

如何使用: 加1ml超纯水重溶

稳定性: -20 ° C保存条件下，冻干粉,保质期为五年；液体，保质期为两年。

稀释液: PBS (pH7.4) , 1% BSA

应用: WB 1 ~ 5 µg/ml.

特异性: