

本公司提供的电子版本说明书仅供参考,实验请以收到的纸质手册为准。

Anti-Human/Mouse/Rat Phospho-PRKD1/2/3 (Ser738/S742) Polyclonal Antibody

多克隆抗体

产品货号: PA01805

第三版

描述:PRKD1 (Protein Kinase D1) is a Protein Coding gene. Diseases associated with PRKD1 include Malignant Epithelial Tumor Of Salivary Glands and Subacute Glomerulonephritis. Among its related pathways are CCR5 Pathway in Macrophages and Development VEGF signaling via VEGFR2 - generic cascades. GO annotations related to this gene include identical protein binding and protein kinase activity. An important paralog of this gene is PRKD3. PRKD2 (Protein Kinase D2) is a Protein Coding gene. Diseases associated with PRKD2 include Polycystic Kidney Disease 2 and Polycystic Kidney Disease, Adult Type I. Among its related pathways are Development VEGF signaling via VEGFR2 - generic cascades and Development Slit-Robo signaling. GO annotations related to this gene include transferase activity, transferring phosphorus-containing groups and protein tyrosine kinase activity. An important paralog of this gene is PRKD1. PRKD3 (Protein Kinase D3) is a Protein Coding gene. Diseases associated with PRKD3 include Polycystic Kidney Disease 2 and Polycystic Kidney Disease, Adult Type I. Among its related pathways are CCR5 Pathway in Macrophages and Development VEGF signaling via VEGFR2 - generic cascades. GO annotations related to this gene include transferase activity, transferring phosphorus-containing sease. GO annotations related to this gene include transferase activity, transferring phosphorus-containing sease. GO annotations related to this gene include transferase activity, transferring phosphorus-containing groups and protein tyrosine kinase activity. An important paralog of this gene is PRKD1.

抗原:Synthesized peptide derived from human PKD1/2/3 around the phosphorylation site of S738/S742.

配方:

如何使用:加1ml超纯水重溶

稳定性: -20°C保存条件下,冻干粉,保质期为五年;液体,保质期为两年。

稀释液:PBS (pH7.4) , 1% BSA

应用:WB1~5µg/ml.

特异性: