
本公司提供的电子版说明书仅供参考，实验请以收到的纸质手册为准。

Anti-Human CYP2C8 Polyclonal Antibody

多克隆抗体

产品货号: PA03383

第三版

描述:CYP2C8 encodes a member of the cytochrome P450 superfamily of enzymes. The cytochrome P450 proteins are monooxygenases which catalyze many reactions involved in drug metabolism and synthesis of cholesterol, steroids and other lipids. This protein localizes to the endoplasmic reticulum and its expression is induced by phenobarbital. The enzyme is known to metabolize many xenobiotics, including the anticonvulsive drug mephenytoin, benzo(a)pyrene, 7-ethoxycoumarin, and the anti-cancer drug taxol. This gene is located within a cluster of cytochrome P450 genes on chromosome 10q24. Several transcript variants encoding a few different isoforms have been found for this gene. CYP2C8 (Cytochrome P450 Family 2 Subfamily C Member 8) is a Protein Coding gene. Diseases associated with CYP2C8 include Cyp2c8-Related Altered Drug Metabolism and Osteonecrosis Of The Jaw. Among its related pathways are Cytochrome P450 - arranged by substrate type and Arachidonate Epoxygenase / Epoxide Hydrolase. GO annotations related to this gene include iron ion binding and oxidoreductase activity, acting on paired donors, with incorporation or reduction of molecular oxygen. An important paralog of this gene is CYP2C19.

抗原:Synthesized peptide derived from the Internal region of human CYP2C8.

配方:

如何使用:加1ml超纯水重溶

稳定性: -20 ° C保存条件下，冻干粉,保质期为五年；液体，保质期为两年。

稀释液:PBS (pH7.4) ， 1% BSA

应用:WB 1 ~ 5 μg/ml.

特异性: