

本公司提供的电子版说明书仅供参考，实验请以收到的纸质手册为准。

CLEC1B, 55-229aa, Human, His tag, E.coli

产品货号: TP01638

第三版

别名:C-type lectin domain family 1 member B isoform a, 810061113Rik, CLEC2, CLEC2B, PRO1384

描述:CLEC1B also known as C-type lectin domain family 1 member B. Natural killer (NK) cells express multiple calcium-dependent (C-type) lectin-like receptors, such as CD94 (KLRD1; MIM 602894) and NKG2D (KLRC4; MIM 602893), that interact with major histocompatibility complex class I molecules and either inhibit or activate cytotoxicity and cytokine secretion. CLEC2 is a C-type lectin-like receptor expressed in myeloid cells and NK cells. Recombinant human CLEC1B, fused to His-tag at N-terminus, was expressed in E.coli.

配方:Liquid. In 20mM Tris 8.0 containing 10% glycerol

分子量:23.1kDa (198aa)

序列:

MGSSHHHHHSSGLVPRGSHMGSSVMQRNYLQGENENRTGTLQQLAKRFCQYVVKQSELKGTFFKGHKCSPCDTNWR  
YYGDSCYGFRRHNLTWEEISKQYCTDMNATLLKIDNRNIVEYIKARTHLIRWVGLSRQKSNEVWKWEDGSVISENMFEFLE  
DGKGNMNCAYFHNGKMHPTFCENKHYLMCERKAGMTKVDQLP

纯度:> 95% by HPLC

浓度:1mg/ml (determined by Bradford assay)

内毒素:<1.0 EU per 1 ug of protein (determined by LAL method)

存储: +4 ° C 保存 (1-2 周). 长期保存在 -20 ° C 或者 -70 ° C. 避免反复冻融.