

本公司提供的电子版本说明书仅供参考,实验请以收到的纸质手册为准。

Recombinant Rat IL4R / II4ra Protein (Fc tag)

产品货号: TP08596

第三版

别名:IL4R;II4ra

描述:The cluster of differentiation (CD) system is commonly used as cell markers in immunophynotyping. Different kinds of cells in the immune system can be identified through the surface CD molecules which associating with the immune function of the cell. There are more than 320 CD unique clusters and subclusters have been identified. Some of the CD molecules serve as receptors or ligands important to the cell through initiating a signal cascade which then alter the behavior of the cell. Some CD proteins do not take part in cell signal process but have other functions such as cell adhesion. CD124, also known as interleukin 4 receptor (IL4R), is a type â transmembrane protein that can regulate IgE antibody production in B cells through binding to interleukin 4 and interleukin 13 and promote differentiation of Th2 cells through binding to interleukin 4. The membrane-bound form of CD124 can be hydrolyzed to soluble form which can inhibit IL4-mediated cell proliferation and IL5 upregulation by T-cells.

配方:PBS

分子量:50.9 kDa

序列:Met1-Arg232

纯度:> 95% by HPLC

浓度:

内毒素:<1.0 EU per 1 ug of protein (determined by LAL method)

存储: +4°C 保存 (1-2周). 长期保存在-20°C或者-70°C. 避免反复冻融.

1/1