

Instruction manual FOR RESEARCH USE ONLY NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

Anti-?2, 6-Sialyltransferase (C) Rabbit IgG Affinity Purify

Polyclonal Antibody

Cat.NO.: PA01001

3th Edition

Description: The histopathological picture of Alzheimer's disease is characterized by senile plaques and neurofibrillary tangles, and because the senile plaques form first, they are considered the initial lesion. Senile plaques are known to be formed by accumulation of ?-amyloid peptide (A?). A? peptide is produced by the cleavage of amyloid precursor protein (APP) by two types of proteolytic enzymes. The first cleavage is performed by ?-secretase (BACE1), and the second ?-secretase. It is thought that their inhibitors may be capable of serving as safe drugs for the treatment of Alzheimer's disease. In recent years a glycosyltransferase involved in the biosynthesis of sugar chains (?2, 6-sialyltransferase) has also been shown to be cleaved by BACE1. The cleavage site was identified at the same time, and as a result it was demonstrated that in rats it produces cleavaged-type ?2, 6-sialyltransferase (E41 Form). This product is purified antibody which can detect ?2, 6-sialyltransferase (C-terminal).

Antigen:Synthetic peptide for the C-terminal part of ?2, 6-sialyltransferase (the part common to human, mouse and rat)

Form:Lyophilized product from PBS containing 1 % BSA and 0.05 % NaN3

How to use:1.0 ml distilled water will be added to the product

Stability: Lyophilized product, 5 years at 2 – 8°C; Solution, 2 years at –20°C

Dilution: PBS (pH7.4) containing 1% BSA

Application: This antibody can be used for western blotting in concentration of 1?5?g/ml.

Specificity: Reacts with Human, Mouse, Rat ?2, 6-sialyltransferase

1 / 1