

CD47, 19-141aa, Human, hlgG-His tag, Baculovirus

Cat.NO.: TP01519

3th Edition

Synonyms:Leukocyte surface antigen CD47 isoform 1, CD47, IAP, MER6, OA3

Description:CD47, also known as leukocyte surface antigen CD47 isoform 1, is a member of immunoglobulin superfamily. It has a role in both cell adhesion by acting as an adhesion receptor for THBS1 on platelets, and in the modulation of integrins. Also, it plays an important role in memory formation and synaptic plasticity in the hippocampus. This protein is a receptor for SIRPA, binding to which prevents maturation of immature dendritic cells and inhibits cytokine production by mature dendritic cells. CD47 mediates cell-cell adhesion, enhances super antigen-dependent T-cell-mediated proliferation and co-stimulates T-cell activation.

Form:Liquid. In Phosphate Buffered Saline (pH 7.4) containing 10% glycerol.

Molecular Weight:40.9kDa (362aa), 40-57KDa (SDS-PAGE under reducing conditions.)

Sequences:

QLLFNKTKSVEFTFCNDTVVIPCFVTNMEAQNTTEVYVKWKFKGRDIYTFD GALNKSTVPTDFSSAKIEVSQLLKGD
ASLKMDKSDAVSHTGNYTCEVTELTREGETIIE LKYRVVSWFSPNELEPKSCDKTHTCPPCPAPPELLGGPSVFLFPP
KPKDTLMISRTPEVTCVVDVSHEDPEVKFNWYVDGVEVHNAKTKPREEQYNSTYRVVSVLTVLHQDWLNGKEYK
CKVSNKALPAPIEKTISKAKGQPREPQVYTLPPSRDELTKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTTPPV
LDSDGSFFLYSKLTVDKSRWQQGNV FSCSVMHEALHNHYTQKSLSLSPGKHHHHHH

Purity:> 95% by HPLC

Concentration:0.5mg/ml (determined by Absorbance at 280nm)

Endotoxin Level:<1.0 EU per 1 ug of protein (determined by LAL method)

Storage:Can be stored at +4°C short term (1-2 weeks). For long term storage, aliquot and store at -20°C or -70°C. Avoid repeated freezing and thawing cycles.