

Instruction manual FOR RESEARCH USE ONLY NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

CLPP, 57-277aa, Human, E.coli

Cat.NO.: TP01649

3th Edition

Synonyms: Putative ATP-dependent Clp protease proteolytic subunit, mitochondrial, Endopeptidase Clp

Description:CLPP (ATP-dependent Clp protease proteolytic subunit) belongs to the peptidase family S14. CLPP cleaves peptides in various proteins in a process that requires ATP hydrolysis. CLPP, the catalytic core of the Clp proteolytic complex, is widely involved in many cellular processes via the regulation of intracellular protein quality.

Form:Liquid. In 20mM Tris-HCl buffer (pH 7.5) containing 2mM DTT, 20% glycerol, 100mM NaCl

Molecular Weight: 24.2kDa (222aa), confirmed by MALDI-TOF

Sequences:

MPLIPIVVEQTGRGERAYDIYSRLLRERIVCVMGPIDDSVASLVIAQLLFLQSESNKKPIHMYINSPGGVVTAGLAIYDT MQYILNPICTWCVGQAASMGSLLLAAGTPGMRHSLPNSRIMIHQPSGGARGQATDIAIQAEEIMKLKKQLYNIYAKH TKQSLQVIESAMERDRYMSPMEAQEFGILDKVLVHPPQDGEDEPTLVQKEPVEAAPAAEPVPAST

Purity:> 95% by HPLC

Concentration: 0.5mg/ml (determined by Bradford assay)

Endotoxin Level:<1.0 EU per 1 ug of protein (determined by LAL method)

Storage:Can be stored at +4°C short term (1-2 weeks). For long term storage, aliquot and store at -20°C or -70°C. Avoid repeated freezing and thawing cycles.

1/1