

Instruction manual FOR RESEARCH USE ONLY NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

CREG1, 32-220aa, Human, His tag, E.coli

Cat.NO.: TP01708

3th Edition

Synonyms: Cellular repressor of E1A-stimulated genes 1, CREG.

Description:CREG1 both activates and represses gene expression to promote cellular proliferation and inhibit differentiation. This protein antagonizes transcriptional activation and cellular transformation by E1A. It shares limited sequence similarity with E1A and binds both the general transcription factor TBP and the tumor suppressor pRb in vitro.

Form:Liquid. In 20mM Tris-HCl buffer (pH 8.0) containing 0.15M NaCl, 10% glycerol

Molecular Weight: 23.6 kDa (213aa), confirmed by MALDI-TOF

Sequences:

MGSSHHHHHHSSGLVPRGSHMGSMRGGRDHGDWDEASRLPPLPPREDAARVARFVTHVSDWGALATISTLEAV RGRPFADVLSLSDGPPGAGSGVPYFYLSPLQLSVSNLQENPYATLTMTLAQTNFCKKHGFDPQSPLCVHIMLSGTV TKVNETEMDIAKHSLFIRHPEMKTWPSSHNWFFAKLNITNIWVLDYFGGPKIVTPEEYYNVTVQ

Purity:> 95% by HPLC

Concentration:1mg/ml

Endotoxin Level:<1.0 EU per 1 ug of protein (determined by LAL method)

Storage:Can be stored at +4°C short term (1-2 weeks). For long term storage, aliquot and store at -20°C or -70°C. Avoid repeated freezing and thawing cycles.

1 / 1