

Instruction manual FOR RESEARCH USE ONLY NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

CRIP1, 1-77aa, Human, His tag, E.coli

Cat.NO.: TP01711

3th Edition

Synonyms: Cysteine-rich protein 1, Cysteine-rich protein 1 (intestinal), CRHP, CRIP, CRP-1, CRP1

Description:Cysteine-rich intestinal protein (CRIP) belongs to the LIM/double zinc finger protein family, members of which include cysteine- and glycine-rich protein-1, rhombotin-1, rhombotin-2, and rhombotin-3. CRIP may be involved in intestinal zinc transport. Recombinant human CRIP1 protein, fused to His-tag at N-terminus, was expressed in E.coli and purified by using conventional chromatography techniques.

Form:Liquid. In 20mM Tris-HCI(pH 8.0) containing 20% glycerol, 0.15M NaCl, 1mM DTT

Molecular Weight: 10.9 kDa (100aa) confirmed by MALDI-TOF

Sequences:

MGSSHHHHHHSSGLVPRGSHMGSMPKCPKCNKEVYFAERVTSLGKDWHRPCLKCEKCGKTLTSGGHAEHEGKP YCNHPCYAAMFGPKGFGRGGAESHTFK

Purity:> 95% by HPLC

Concentration: 0.25 mg/ml (determined by Bradford assay)

Endotoxin Level:<1.0 EU per 1 ug of protein (determined by LAL method)

Storage:Can be stored at +4°C short term (1-2 weeks). For long term storage, aliquot and store at -20°C or -70°C. Avoid repeated freezing and thawing cycles.

1/1