

## Instruction manual FOR RESEARCH USE ONLY NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

CST6, 29-149aa, Human, His tag, E.coli

Cat.NO.: TP01752

3th Edition

Synonyms: Cystatin-M, Cystatin E/M.

**Description:**CST6 is a member of the type 2 cystatin family. Some of the members are active cysteine protease inhibitors, while cystatin E/M moderate the inhibition of cathepsin B but is not active against cathepsin C. CST6 is secretable proteins that influence osteogenesis and bone resorption, regulation of the insulin and hepatocyte growth factor receptors, and the response to systemic inflammation.

Form:Liquid. In 20mM Tris-HCl buffer(pH 8.0) containing 10% glycerol, 1mM DTT, 0.1M NaCl.

Molecular Weight: 15.9 kDa (142aa), confirmed by MALDI-TOF

## Sequences:

MGSSHHHHHHSSGLVPRGSHMRPQERMVGELRDLSPDDPQVQKAAQAAVASYNMGSNSIYYFRDTHIIKAQSQLVAGIKYFLTMEMGSTDCRKTRVTGDHVDLTTCPLAAGAQQEKLRCDFEVLVVPWQNSSQLLKHNCVQM

Purity:> 95% by HPLC

Concentration: 0.5 mg/ml (determined by Bradford assay)

Endotoxin Level:<1.0 EU per 1 ug of protein (determined by LAL method)

**Storage:**Can be stored at +4°C short term (1-2 weeks). For long term storage, aliquot and store at -20°C or -70°C. Avoid repeated freezing and thawing cycles.

1/1