

CXCL4, 32-101aa, Human, His tag, E.coli

Cat.NO.: TP01801

3th Edition

Synonyms: Chemokine (C-X-C motif) ligand 4, PF4, MGC138298, SCYB4

Description: CXCL4 is a member of the CXC chemokine family. This chemokine is released from the alpha granules of activated platelets in the form of a homotetramer which has high affinity for heparin and is involved in platelet aggregation. This protein is chemotactic for numerous other cell type and also functions as an inhibitor of hematopoiesis, angiogenesis and T-cell function. Recombinant human CXCL4 protein, fused to His-tag at N-terminus, was expressed in E.coli and purified by using conventional chromatography techniques.

Form: Liquid. In 20mM Tris-HCl buffer (pH 8.0) containing 0.2M NaCl, 50% glycerol, 2mM DTT

Molecular Weight: 10.0 kDa (91aa) confirmed by MALDI-TOF

Sequences:

MGSSHHHHHHSSGLVPRGSHMEAEEDGDLQCLCVKTTTSQVRPRHITSLEVIKAGPHCPTAQLIATLKNRKCICLDL
QAPLYKKIIKKLLES

Purity: > 95% by HPLC

Concentration: 0.25 mg/ml (determined by Bradford assay)

Endotoxin Level: <1.0 EU per 1 ug of protein (determined by LAL method)

Storage: Can be stored at +4°C short term (1-2 weeks). For long term storage, aliquot and store at -20°C or -70°C. Avoid repeated freezing and thawing cycles.