

## Instruction manual FOR RESEARCH USE ONLY NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

## Recombinant Human MESDC2 / MESD Protein (His tag)

Cat.NO.: TP07676

3th Edition

Synonyms:BOCA;MESD

**Description:**LDLR chaperone MESD, also known as Mesoderm development protein, Mesoderm development candidate 2, Renal carcinoma antigen NY-REN-61 and MESDC2, is a member of the MESD family. MESDC2 is a chaperone specifically assisting the folding of beta-propeller/EGF modules within the family of low-density lipoprotein receptors (LDLRs). The LDLR maturation activity resides in the N- and C-terminal unstructured regions. MESDC2 acts as a modulator of the Wnt pathway, since some LDLRs are coreceptors for the canonical Wnt pathway. MESDC2 is essential for specification of embryonic polarity and mesoderm induction.

Form:PBS

Molecular Weight: 23.6 kDa

Sequences: Ala 34-Lys 230

Purity:> 95% by HPLC

Concentration:

Endotoxin Level:<1.0 EU per 1 ug of protein (determined by LAL method)

**Storage:**Can be stored at +4°C short term (1-2 weeks). For long term storage, aliquot and store at -20°C or -70°C. Avoid repeated freezing and thawing cycles.

1/1