

Recombinant Human Glutaminyl cyclase / QPCT Protein (His tag)

Cat.NO.: TP08070

3th Edition

Synonyms:GCT;QC;sQC

Description:Glutaminyl cyclase, also known as QPCT, can promote the N-terminal cyclization reaction of N-terminal pyroglutamate(pGlu). The pGlu formation from its glutaminyl precursor is required in the maturation of numerous bioactive peptides, while the aberrant formation of pGlu may be related to several pathological processes, such as osteoporosis and amyloidotic diseases. Glutaminyl cyclase's structure reveals an alpha/beta scaffold akin to that of two-zinc exopeptidases but with several insertions and deletions, particularly in the active-site region. Glutaminyl cyclase's amino acid sequence of this enzyme is 86% identical to that of bovine glutaminyl cyclase. It is responsible for the presence of pyroglutamyl residues in many neuroendocrine peptides.

Form:PBS

Molecular Weight:39.7 kDa

Sequences:Ala33-Leu361

Purity:> 95% by HPLC

Concentration:

Endotoxin Level:<1.0 EU per 1 ug of protein (determined by LAL method)

Storage:Can be stored at +4°C short term (1-2 weeks). For long term storage, aliquot and store at -20°C or -70°C. Avoid repeated freezing and thawing cycles.