

## Instruction manual FOR RESEARCH USE ONLY NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

## Recombinant Human MAPKAPK5 Protein (His & GST tag)

Cat.NO.: TP08345

3th Edition

Synonyms:MAPKAP-K5;MK-5;MK5;PRAK

**Description:**MAPKAPK5 contains 1 protein kinase domain and belongs to the protein kinase superfamily, CAMK Ser/Thr protein kinase family. MAPKAPK5 has significant sequence homology to mitogen-activated protein kinase (MAPK)-activated protein kinase (MAPKAPK). It is widely distributed. MAPKAPK5 can be phosphorylated by extracellular-regulated kinase (ERK), and p38 kinase but not by c-jun N-terminal kinase (JNK)in vitro.Recombinant GST-MAPKAPK5 protein can phosphorylate a peptide derived from the regulatory light chain of myosin II. Phosphorylation of MAPKAPK5 by ERK and p38 kinase increased its activity by 9 and 15 fold respectively. Taken together, these data suggest that MAPKAPK5 is a novelin vitrosubstrate for ERK and p38 kinase. In response to cellular stress and proinflammatory cytokines, this kinase is activated through its phosphorylation by MAP kinases including MAPK1/ERK, MAPK14/p38-alpha, and MAPK11/p38-beta. MAPKAPK5 also mediates stress-induced small heat shock protein 27 phosphorylation.

Form:PBS

Molecular Weight:82 kDa

Sequences: Met 1-Gln 471

Purity:> 95% by HPLC

**Concentration:** 

Endotoxin Level:<1.0 EU per 1 ug of protein (determined by LAL method)

**Storage:**Can be stored at +4°C short term (1-2 weeks). For long term storage, aliquot and store at -20°C or -70°C. Avoid repeated freezing and thawing cycles.

1/1