

本公司提供的电子版本说明书仅供参考，实验请以收到的纸质手册为准。

Anti-Human ATP5I Polyclonal Antibody

多克隆抗体

产品货号: PA02200

第三版

**描述:** Mitochondrial ATP synthase catalyzes ATP synthesis, utilizing an electrochemical gradient of protons across the inner membrane during oxidative phosphorylation. It is composed of two linked multi-subunit complexes: the soluble catalytic core, F<sub>1</sub>, and the membrane-spanning component, F<sub>o</sub>, which comprises the proton channel. The F<sub>1</sub> complex consists of 5 different subunits (alpha, beta, gamma, delta, and epsilon) assembled in a ratio of 3 alpha, 3 beta, and a single representative of the other 3. The F<sub>o</sub> seems to have nine subunits (a, b, c, d, e, f, g, F<sub>6</sub> and 8). This gene encodes the e subunit of the F<sub>o</sub> complex. Alternative splicing results in multiple transcript variants. ATP5I (ATP Synthase, H<sup>+</sup> Transporting, Mitochondrial F<sub>o</sub> Complex Subunit E) is a Protein Coding gene. Among its related pathways are Respiratory electron transport, ATP synthesis by chemiosmotic coupling, and heat production by uncoupling proteins. and purine nucleotides de novo biosynthesis. GO annotations related to this gene include ATPase activity and hydrogen ion transmembrane transporter activity.

**抗原:** Synthesized peptide derived from the Internal region of human ATP5I

**配方:**

**如何使用:** 加1ml超纯水重溶

**稳定性:** -20 ° C保存条件下，冻干粉,保质期为五年；液体，保质期为两年。

**稀释液:** PBS (pH7.4) ， 1% BSA

**应用:** WB 1 ~ 5 μg/ml.

**特异性:**