

本公司提供的电子版本说明书仅供参考，实验请以收到的纸质手册为准。

Anti-Human CHST2 Polyclonal Antibody

多克隆抗体

产品货号: PA02804

第三版

**描述:** This locus encodes a sulfotransferase protein. The encoded enzyme catalyzes the sulfation of a nonreducing N-acetylglucosamine residue, and may play a role in biosynthesis of 6-sulfosialyl Lewis X antigen. CHST2 (Carbohydrate Sulfotransferase 2) is a Protein Coding gene. Among its related pathways are Keratan sulfate/keratin metabolism and Glycosaminoglycan metabolism. GO annotations related to this gene include sulfotransferase activity and N-acetylglucosamine 6-O-sulfotransferase activity. An important paralog of this gene is CHST7.

**抗原:** Synthesized peptide derived from the N-terminal region of human CHST2

**配方:**

**如何使用:** 加1ml超纯水重溶

**稳定性:** -20 ° C保存条件下，冻干粉,保质期为五年；液体，保质期为两年。

**稀释液:** PBS (pH7.4) ， 1% BSA

**应用:** WB 1 ~ 5 μg/ml.

**特异性:** Widely expressed. Highly expressed in bone marrow, peripheral blood leukocytes, spleen, brain, spinal cord, ovary and placenta. Expressed by high endothelial cells (HEVs) and leukocytes.