

本公司提供的电子版说明书仅供参考，实验请以收到的纸质手册为准。

Anti-Human /Mouse /Rat WNT5A Polyclonal Antibody

多克隆抗体

产品货号: PA03301

第三版

描述:The WNT gene family consists of structurally related genes which encode secreted signaling proteins. These proteins have been implicated in oncogenesis and in several developmental processes, including regulation of cell fate and patterning during embryogenesis. This gene encodes a member of the WNT family that signals through both the canonical and non-canonical WNT pathways. This protein is a ligand for the seven transmembrane receptor frizzled-5 and the tyrosine kinase orphan receptor 2. This protein plays an essential role in regulating developmental pathways during embryogenesis. This protein may also play a role in oncogenesis. Mutations in this gene are the cause of autosomal dominant Robinow syndrome. Alternate splicing results in multiple transcript variants.WNT5A (Wnt Family Member 5A) is a Protein Coding gene. Diseases associated with WNT5A include Robinow Syndrome, Autosomal Dominant 1 and Autosomal Dominant Robinow Syndrome. Among its related pathways are Validated targets of C-MYC transcriptional repression and Wnt Signaling Pathways: beta-Catenin-independent Wnt/Ca2+ Signaling and Other Non-canonical Wnt Signaling Pathways. GO annotations related to this gene include transcription factor activity, sequence-specific DNA binding and protein domain specific binding. An important paralog of this gene is WNT5B.

抗原:Recombinant protein of human WNT5A

配方:

如何使用:加1ml超纯水重溶

稳定性: -20 ° C保存条件下，冻干粉,保质期为五年；液体，保质期为两年。

稀释液:PBS (pH7.4) ， 1% BSA

应用:WB 1 ~ 5 μ g/ml.

特异性:Expression is increased in differentiated thyroid carcinomas compared to normal thyroid tissue and anaplastic thyroid tumors where expression is low or undetectable. Expression is found in thyrocytes but not in stromal cells (at protein level).