

本公司提供的电子版本说明书仅供参考，实验请以收到的纸质手册为准。

Anti-Human MIA2 Polyclonal Antibody

多克隆抗体

产品货号: PA04496

第三版

**描述:** This gene encodes s receptor in the endoplasmic reticulum, which plays a role in the export of large pre-chylomicrons and pre-very low density lipoproteins (pre-VLDLs). Three major classes of transcripts are generated from this gene- melanoma inhibitory activity 2-specific transcripts, cTAGE family member 5-specific transcripts and transcripts that include exons from both these transcript species (TANGO1-like or TALI). Additionally, alternative splicing in these transcripts results in multiple transcript variants encoding multiple isoforms. MIA2 (Melanoma Inhibitory Activity 2) is a Protein Coding gene. Among its related pathways are Transport to the Golgi and subsequent modification and Vesicle-mediated transport. An important paralog of this gene is OTOR.

**抗原:** Synthesized peptide derived from MIA2

**配方:**

**如何使用:** 加1ml超纯水重溶

**稳定性:** -20 ° C保存条件下，冻干粉,保质期为五年；液体，保质期为两年。

**稀释液:** PBS (pH7.4) ， 1% BSA

**应用:** WB 1 ~ 5  $\mu$  g/ml.

**特异性:** Highly expressed in liver and weakly in testis. Expression was higher in patients with severe fibrosis or inflammation and chronic hepatitis.