

本公司提供的电子版说明书仅供参考，实验请以收到的纸质手册为准。

Anti-Human PDE4A Polyclonal Antibody

多克隆抗体

产品货号: PA08515

第三版

**描述:**The protein encoded by this gene belongs to the cyclic nucleotide phosphodiesterase (PDE) family, and PDE4 subfamily. This PDE hydrolyzes the second messenger, cAMP, which is a regulator and mediator of a number of cellular responses to extracellular signals. Thus, by regulating the cellular concentration of cAMP, this protein plays a key role in many important physiological processes. Alternatively spliced transcript variants encoding different isoforms have been described for this gene.

**抗原:**Synthetic peptide of human PDE4A

**配方:**

**如何使用:**加1ml超纯水重溶

**稳定性:** -20 ° C保存条件下，冻干粉,保质期为五年；液体，保质期为两年。

**稀释液:**PBS (pH7.4) ， 1% BSA

**应用:**WB 1 ~ 5  $\mu$ g/ml.

**特异性:**Isoform 1 is widely expressed. Isoform 2 is abundant in liver, stomach, testis, thyroid and adrenal glands. It is also found in placenta, kidney, pancreas, ovary, uterus, skin, monocytes, mast cells, macrophages, as well as in bronchial smooth muscle. Isoform 6 is expressed at high levels in the heart and small intestine. It is also found in the brain, kidney, spleen, colon, salivary gland, ovary and peripheral blood lymphocytes. Isoform 7 is expressed predominantly in skeletal muscle and brain and at lower levels in the testis. Isoform 7 is expressed in the brain. Found in specific neuronal subpopulations in cortex, spinal cord and cerebellum (at protein level).