

本公司提供的电子版本说明书仅供参考，实验请以收到的纸质手册为准。

Anti-Human FAIM3 Polyclonal Antibody

多克隆抗体

产品货号: PA12118

第三版

**描述:** Fc receptors specifically bind to the Fc region of immunoglobulins (Igs) to mediate the unique functions of each Ig class. FAIM3 encodes an Fc receptor for IgM. May play a role in the immune system processes. Protects cells from FAS-, TNF alpha- and FADD-induced apoptosis without increasing expression of the inhibitors of apoptosis BCL2 and BCLXL. Seems to activate an inhibitory pathway that prevents CASP8 activation following FAS stimulation, rather than blocking apoptotic signals downstream.

**抗原:** Recombinant protein of human FAIM3

**配方:**

**如何使用:** 加1ml超纯水重溶

**稳定性:** -20 ° C保存条件下，冻干粉,保质期为五年；液体，保质期为两年。

**稀释液:** PBS (pH7.4) ， 1% BSA

**应用:** WB 1 ~ 5 μ g/ml.

**特异性:** Expressed in lymph nodes, peripheral blood leukocytes, lung, thymus and kidneys. Very weak expression detected in spleen, liver, heart, and salivary gland. Expressed in lymphoid cell lines such as Jurkat cells, CemT4 cells, MoIT-4 cells, HB11.19 cells, and Reh cells. No expression detected in nonhematopoietic cell lines, including HepG2 cells, 293 cells and Hela cells.