

本公司提供的电子版说明书仅供参考，实验请以收到的纸质手册为准。

IL17B, 21-180aa, Human, His tag, E.coli

产品货号: TP02614

第三版

别名: Interleukin-17B precursor, IL-17B, IL-20, NIRF, ZCYTO7

描述: IL17B is a T cell-derived cytokine that shares sequence similarity with IL17. This cytokine was reported to stimulate the release of TNF alpha (TNF) and IL1 beta (IL1B) from a monocytic cell line. Immunohistochemical analysis of several nerve tissues indicated that this cytokine is primarily localized to neuronal cell bodies. Recombinant human IL17B protein, fused to His-tag at N-terminus, was expressed in E.coli.

配方: Liquid. In 20mM Tris-HCl buffer (pH 8.0) containing 0.4M Urea, 10% glycerol

分子量: 20 kDa (185aa)

序列:

MGSSHHHHHHSSGLVPRGSHMGSHMQPRSPKSKRKGQGRPGPLAPGPHQVPLDLVSRMKPYARMEEYERNIEEMVAQL  
RNSSELAQRKCEVNLQLWMSNKRSLSPWGYINHDPSRIPVDLPEARCLCLGCVNPFTMQEDRSMVSPVFSQVPVRRRL  
CPPPPRTGPCRQRAVMTIAVGCTCIF

纯度: > 95% by HPLC

浓度: 1 mg/ml (determined by Bradford assay)

内毒素: <1.0 EU per 1 ug of protein (determined by LAL method)

存储: +4 ° C 保存 (1-2 周). 长期保存在 -20 ° C 或者 -70 ° C. 避免反复冻融.