

本公司提供的电子版本说明书仅供参考，实验请以收到的纸质手册为准。

ITGB1, 1-728aa, Human, His-tag, Baculovirus

产品货号: TP02693

第三版

别名: Integrin beta-1 isoform 1A, ITGB1, CD29, FN1B, GPIIA, MDF2, MSK12, VLA-BETA, VLAB

描述: ITGB1, also known as integrin beta-1 isoform 1A, is the only alpha 1 integrin family adhesion receptor, one of twelve integrins that share the beta 1 subunit, and one of four collagen binding integrins. Integrin family members are membrane receptors involved in cell adhesion and recognition in a variety of processes including embryogenesis, hemostasis, tissue repair, immune response and metastatic diffusion of tumor cells. This protein is reported to down-regulate EGF-R signaling, increase expression of caveolin-1, reduce production of reactive oxygen species, regulate collagen expression, control MMP collagenase and gelatinase activity, and mediate the renal basement membrane disorder Alport syndrome. Recombinant human ITGB1 protein, fused to His-tag at C-terminus, was expressed in insect cell and purified by using conventional chromatography techniques.

配方: Liquid. In Phosphate Buffered Saline (pH 7.4) containing 10% glycerol.

分子量: 79.4kDa (716aa) 70-100kDa (SDS-PAGE under reducing conditions.)

序列:

```
QTDENRCLKANAKSCGECIQAGPNCGWCTNSTFLQEGMPTSARCDDLEALKKKKGCPPDDIENPRGSKDIKKNKNVTNRS  
KGTAEKLPEDITQIQPQLVLRRLRSGEPQFTFLKFKRAEDYPIDLYLMDLSYSMKDDLENVKSLGTDLMNEMRRITSDFR  
IGFGSFVEKTVMPYISTTPAKLRNPCTSEQNCTSPFSYKNVLSLTNKGEVFNELVGKQRISGNLDSPEGGFDAIMQVAVCGS  
LIGWRNVTRLLVFSTDAGHFHAGDGKLGIVLPNDGQCHLENNMYTMSHYYDYPSIAHLVQKLSENNIQTIFAVTEEFQP  
VYKELKNLIPKSAVGTLSANSSNVIQLIIDAYNSLSSEVILENGKLSEGVTSYKSYCKNGVNGTGENGRKCSNISIGDEVQFEI  
SITSNKCPKDSDFKIRPLGFTEEEVILQYICECECQSEGIPESPKCHEGNGTFECGACRCNEGRVGRHCECSTDEVNSED  
MDAYCRKENSSEICSNNGECVCGQCVCRRKRDNTNEIYSGKFCECDNFNCDRSNGLICGGNGVCKCRVCECNPNYTGSA  
CDCSLDTSTCEASNGQICNNGRIGICEGVCKCTDPKFQGGTCEMCQTCLGVCAEHKECVQCRAFKNKGEKKTCTQECS  
YFNITKVESRDKLPQPVQDPVSHCKEKDVDDCWFFYFTYSVNGNNEVMVHVVENPECPGPDLEHHHHHHH
```

纯度: > 95% by HPLC

浓度: 1mg/ml (determined by Absorbance 280nm)

内毒素: <1.0 EU per 1 ug of protein (determined by LAL method)

存储: +4 ° C 保存 (1-2 周). 长期保存在 -20 ° C 或者 -70 ° C. 避免反复冻融.