

本公司提供的电子版说明书仅供参考，实验请以收到的纸质手册为准。

VHL protein ( -domain : 1-154aa), His-tag, Human Recombinant, E.coli

产品货号: TP04475

第三版

**别名:** Von Hippel-Lindau tumor suppressor isoform 1, HRCA1, RCA1, VHL1, Von Hippel-Lindau tumor suppressor isoform 1 pVHL, G7 protein, Elongin binding protein, HRCA 1, RCA 1, VHL, VHL 1, VHLH, Von Hippel Lindau disease tumor suppressor.

**描述:** Von Hippel-Lindau disease(VHL) is a dominant inherited syndrome characterized by the predisposition to develop various kinds of benign and malignant tumors, including clear cell renal carcinomas, pheochromocytomas and hemangioblastomas of the central nervous system and retina. VHL syndrome is caused by germline mutation in the VHL tumor suppressor, and VHL tumors are associated with loss or mutation of the remaining wild-type allele. VHL has two domains: a roughly 100-residue NH2-terminal domain rich in beta sheet(beta-domain) and a smaller alpha-helical domain(alpha-domain), held together by two linkers and a polar interface. VHL protein is also involved in the degradation of hypoxia-inducible factor (HIF). VHL beta-domain(1-154aa) was overexpressed in E.coli and purified by using conventional chromatography techniques

**配方:** Liquid. In phosphate-buffered Saline(PBS), 2mM EDTA, pH7.4

**分子量:** 19.2 kDa (174 aa), confirmed by MALDI-TOF.

**序列:**

**纯度:** > 95% by HPLC

**浓度:** 1 mg/ml (determined by Bradford assay)

**内毒素:** <1.0 EU per 1 ug of protein (determined by LAL method)

**存储:** +4 ° C 保存 (1-2 周). 长期保存在-20 ° C或者-70 ° C. 避免反复冻融.