

本公司提供的电子版说明书仅供参考，实验请以收到的纸质手册为准。

Recombinant Human SH2 Domain-Containing Protein 1A Protein

产品货号: TP05140

第三版

别名:SH2 Domain-Containing Protein 1A; Duncan Disease SH2-Protein; Signaling Lymphocytic Activation Molecule-Associated Protein; SLAM-Associated Protein; T-Cell Signal Transduction Molecule SAP; SH2D1A; DSHP; SAP

描述:SH2 Domain-Containing Protein 1A,(SH2D1A) contains one SH2 domain and a short tail and is localized in the cytoplasm. SH2D1A is expressed at a high level in the thymus and the lung, with lower expression levels in the spleen and the liver. SH2D1A acts as an inhibitor of the signaling lymphocyte activation molecule (SLAM) self-association. In addition, SH2D1A mediates interaction between FYN and SLAMF1. It is also thought to regulate the activity of the neurotrophin receptors NTRK1, NTRK2 and NTRK3.

配方:PBS

分子量:16.3 kDa

序列:Met 1-Pro128

纯度:> 95% by HPLC

浓度:

内毒素:<1.0 EU per 1 ug of protein (determined by LAL method)

存储: +4 ° C 保存 (1-2 周). 长期保存在-20 ° C或者-70 ° C. 避免反复冻融.