
本公司提供的电子版说明书仅供参考，实验请以收到的纸质手册为准。

Recombinant Human IL1F6 / IL36A Protein (His tag)

产品货号: TP06355

第三版

别名:1E;FIL;FIL1;FIL1(EPSILON);FIL1E;IL-1F6;IL1(EPSILON);IL1E;IL1F6;IL36A

描述: Interleukin-1 family member 6 (IL-1F6), also known as interleukin 36, alpha (IL36A), is a pro-inflammatory cytokine which plays an important role in innate and adaptive immunity. IL-1F6 activates MAPK and NF- κ B pathways and is produced by many different cells. This cytokine is a family member of interleukin-1 (IL-1) and plays an important role in the pathophysiology of several diseases. It has been reported that IL-1F6 and IL-1F8, in addition to IL-1F9, activate the pathway leading to NF- κ B in an IL-1Rrp2-dependent manner in Jurkat cells as well as in multiple other human and mouse cell lines. Activation of the pathway leading to NF- κ B by IL-1F6 and IL-1F8 follows a similar time course to activation by IL-1 β , suggesting that signaling by the novel family members occurs through a direct mechanism. In a mammary epithelial cell line, NCI/ADR-RES, which naturally expresses IL-1Rrp2, all three cytokines signal without further receptor transfection. IL-1Rrp2 antibodies block activation of the pathway leading to NF- κ B by IL-1F6, IL-1F8, and IL-1F9 in both Jurkat and NCI/ADR-RES cells. Thus IL-1F6, IL-1F8, and IL-1F9 signal through IL-1Rrp2 and IL-1RAcP.

配方: PBS

分子量: 19.2 kDa

序列: Lys 6-Phe158

纯度: > 95% by HPLC

浓度:

内毒素: <1.0 EU per 1 μ g of protein (determined by LAL method)

存储: +4 °C 保存 (1-2 周). 长期保存在 -20 °C 或者 -70 °C. 避免反复冻融.