

本公司提供的电子版说明书仅供参考，实验请以收到的纸质手册为准。

Recombinant Human Relaxin-1 / RLN1 Protein (His tag)

产品货号: TP06494

第三版

别名:bA12D24.3.1;bA12D24.3.2;H1;H1RLX;RLN1;RLXH1

描述:Relaxin-1, also known as Prorelaxin H1 and RLN1, is a secreted protein which belongs to the insulin family. It is a peptide hormone that was first described in 1926 by Frederick Hisaw. Since its discovery as a reproductive hormone 80 years ago, relaxin has been implicated in a number of pregnancy-related functions involving extracellular matrix (ECM) turnover and collagen degradation. It is now becoming evident that relaxin's ability to reduce matrix synthesis and increase ECM degradation has important implications in several nonreproductive organs, including the heart, lung, kidney, liver and skin. The relaxin-like peptide family belongs in the insulin superfamily and consists of 7 peptides of high structural but low sequence similarity; relaxin-1 (RNL1), relaxin-2 (RNL2) and relaxin-3 (RNL3), and the insulin-like (INSL) peptides, INSL3, INSL4, INSL5 and INSL6. The functions of relaxin-3, INSL4, INSL5, INSL6 remain uncharacterised. Relaxin-1 / RLN1 is an ovarian hormone that acts with estrogen to produce dilatation of the birth canal in many mammals. Relaxin-1 / RLN1 may be involved in remodeling of connective tissues during pregnancy, promoting growth of pubic ligaments and ripening of the cervix. Relaxin and estrogen appear to play protective roles against airway fibrosis, airway SM thickening, and cardiac hypertrophy. Relaxin may also provide a means to regulate excessive collagen deposition during kidney development and in diseased states characterized by renal fibrosis.

配方:PBS

分子量:20 kDa

序列:Met 1-Cys 185

纯度:> 95% by HPLC

浓度:

内毒素:<1.0 EU per 1 ug of protein (determined by LAL method)

存储: +4 ° C 保存 (1-2 周). 长期保存在-20 ° C 或者-70 ° C. 避免反复冻融.