

本公司提供的电子版说明书仅供参考，实验请以收到的纸质手册为准。

Recombinant Rat CTLA-4 / CD152 Protein (ECD, His tag)

产品货号: TP06557

第三版

别名:CTLA-4

**描述:**Cytotoxic T-lymphocyte protein 4, also known as CTLA4 and CD152, is a single-pass type I membrane protein and a member of the immunoglobulin superfamily. It is the second member of the CD28 receptor family. The ligands or counterreceptors for these two proteins are the B7 family members, CD80 (B7-1) and CD86 (B7-2). CTLA4 transmits an inhibitory signal to T cells, whereas CD28 transmits a stimulatory signal. Intracellular CTLA4 is also found in regulatory T cells and may play an important role in their functions. CD152 or cytotoxic T lymphocyte antigen-4 (CTLA-4) is an essential receptor involved in the negative regulation of T cell activation. Because of its profound inhibitory role, CD152 has been considered a sound susceptible candidate in autoimmunity and a persuasive target for cancer immunotherapy. In particular, recent evidence suggests that CD152 is also important in the homeostasis and function of a population of suppressive cells, termed regulatory T cells (Treg).  
Immune Checkpoint  
Immune Checkpoint Detection: Antibodies  
Immune Checkpoint Detection: ELISA Antibodies  
Immune Checkpoint Detection: IP Antibodies  
Immune Checkpoint Detection: WB Antibodies  
Immune Checkpoint Proteins  
CTLA4 / CD152 Immune Checkpoint Proteins  
Immune Checkpoint Targets  
Co-inhibitory Immune Checkpoint Targets  
Immunotherapy  
Cancer Immunotherapy  
Targeted Therapy

配方:PBS

分子量:15.2 kDa

序列:Met1-Asp161

纯度:> 95% by HPLC

浓度:

内毒素:<1.0 EU per 1 ug of protein (determined by LAL method)

存储: +4 ° C 保存 (1-2 周). 长期保存在-20 ° C 或者-70 ° C. 避免反复冻融.