

本公司提供的电子版说明书仅供参考，实验请以收到的纸质手册为准。

Recombinant Human SOCS3 / CIS3 Protein (His & Trx tag)

产品货号: TP06591

第三版

别名: ATOD4; CIS3; Cish3; SOCS-3; SSI-3; SSI3

描述:Suppressor of cytokine signaling 3, also known as SOCS-3, Cytokine-inducible SH2 protein 3, CIS-3, STAT-induced STAT inhibitor 3, SOCS3 and CIS3, is a protein which is widely expressed with high expression in heart, placenta, skeletal muscle, peripheral blood leukocytes, fetal and adult lung, and fetal liver and kidney. SOCS3 / CIS3 contains one SH2 domain and one SOCS box domain. SOCS family proteins form part of a classical negative feedback system that regulates cytokine signal transduction. SOCS3 / CIS3 is involved in negative regulation of cytokines that signal through the JAK / STAT pathway. SOCS3 / CIS3 inhibits cytokine signal transduction by binding to tyrosine kinase receptors including gp130, LIF, erythropoietin, insulin, IL12, GCSF and leptin receptors. Binding to JAK2 inhibits its kinase activity. SOCS3 / CIS3 suppresses fetal liver erythropoiesis. It regulates onset and maintenance of allergic responses mediated by T-helper type 2 cells. SOCS3 / CIS3 regulates IL-6 signaling. SOCS3 / CIS3 interacts with multiple activated proteins of the tyrosine kinase signaling pathway including IGF1 receptor, insulin receptor and JAK2. SOCS3 / CIS3 could be used as a possible therapeutic agent for treating rheumatoid arthritis.

配方: PBS

分子量: 41.9 kDa

序列: Met 1-Leu 225

纯度: > 95% by HPLC

浓度:

内毒素: <1.0 EU per 1 ug of protein (determined by LAL method)

存储: +4 ° C 保存 (1-2 周). 长期保存在 -20 ° C 或者 -70 ° C. 避免反复冻融.