

本公司提供的电子版本说明书仅供参考,实验请以收到的纸质手册为准。

Recombinant Mouse VDR / NR1I1 Protein (His tag)

产品货号: TP06663

第三版

别名:Nr1i1

描述:VDR (vitamin D(1,25- dihydroxyvitamin D3)receptor), also known as NR1I1, belongs to the NR1I family, NR1 subfamily. It is composed of three domains: a modulating N-terminal domain, a DNA-binding domain and a C-terminal ligand-binding domain. Vitamin D receptors (VDRs) are members of the NR1I family, which also includes pregnane X (PXR) and constitutive androstane (CAR) receptors, that form heterodimers with members of the retinoid X receptor family. VDRs repress expression of 1alpha-hydroxylase (the proximal activator of 1,25(OH)2D3) and induce expression of the 1,25(OH)2D3 inactivating enzyme CYP24. Also, it has recently been identified as an additional bile acid receptor alongside FXR and may function to protect gut against the toxic and carcinogenic effects of these endobiotics. VDR is expressed in the intestine, thyroid and kidney and has a vital role in calcium homeostasis. It is the nuclear hormone receptor, also called transcription factor that mediates the action of vitamin D3. Inherited mutations in the VDR gene leads to rickets.

配方:PBS

分子量:49.2 kDa

序列:Met1-Ser422

纯度:> 95% by HPLC

浓度:

内毒素:<1.0 EU per 1 ug of protein (determined by LAL method)

存储: +4°C 保存 (1-2周). 长期保存在-20°C或者-70°C. 避免反复冻融.

1/1