
本公司提供的电子版本说明书仅供参考，实验请以收到的纸质手册为准。

Recombinant Human PRDM2 / RIZ1 Protein (GST tag)

产品货号: TP07539

第三版

别名:HUMHOXY1;KMT8;MTB-ZF;RIZ;RIZ1;RIZ2

描述:PR domain containing 2, with ZNF domain (PRDM2), also known as zinc finger protein RIZ, is a member of histone methyltransferase (HMT) class enzymes that methylate lysine residues of histones or proteins. HMTs contain a conserved catalytic core termed the SET domain, which shares sequence homology with an independently described sequence motif, the PR domain. PRDM2 contains 8 C2H2-type zinc fingers and a distinct SET domain, and is highly expressed in retinoblastoma cell lines and in brain tumors, as well as in a number of other cell lines and in brain, heart, skeletal muscle, liver and spleen. PRDM2 is a S-adenosyl-L-methionine-dependent histone methyltransferase that specifically methylates 'Lys-9' of histone H3, and is identified as a tumor suppressor. It is reported that intact PR(SET) sequence is required for tumor suppression functions, mutations in the PR domain caused activity reduction in human cancers. Also, S-adenosylhomocysteine or methyl donor deficiency inhibits RIZ1 and other H3 lysine 9 methylation activities. PRDM2 may also function as a DNA-binding transcription factor. It Binds to the macrophage-specific TPA-responsive element (MTE) of the HMOX1 (heme oxygenase 1) gene and act as a transcriptional activator. In addition, PRDM2 (RIZ) is able to binds to the retinoblastoma protein (RB) and also Interacts with GATA3.

配方:PBS

分子量:49.6 kDa

序列:Met 1-Ala 200

纯度:> 95% by HPLC

浓度:

内毒素:<1.0 EU per 1 ug of protein (determined by LAL method)

存储: +4 ° C 保存 (1-2 周). 长期保存在 -20 ° C 或者 -70 ° C. 避免反复冻融.