
本公司提供的电子版说明书仅供参考，实验请以收到的纸质手册为准。

Recombinant Human TCN2 Protein (His tag)

产品货号: TP07591

第三版

别名:D22S676;D22S750;II;TC;TC-2;TC2;TCII

描述:Transcobalamin II, also known as TCN2 and TC II, is a plasma protein that binds cobalamin (Cbl; vitamin B12) as it is absorbed in the terminal ileum and distributes to tissues. The circulating transcobalamin II-cobalamin complex binds to receptors on the plasma membrane of tissue cells and is then internalized by receptor-mediated endocytosis. Transcobalamin II is a non-glycosylated secretory protein of molecular mass 43 kDa. Its plasma membrane receptor (TC II-R) is a heavily glycosylated protein with a monomeric molecular mass of 62 kDa. Human TCN2 gene is composed of nine exons and eight introns spanning approximately 20 kb with multiple potential transcription start sites. A number of genetic abnormalities are characterized either by a failure to express TCN2 or by synthesis of an abnormal protein. The TCN2 deficiency results in cellular cobalamin deficiency, an early onset of megaloblastic anaemia, and neurological abnormalities.

配方:PBS

分子量:46.7 kDa

序列:Met 1-Trp 427

纯度:> 95% by HPLC

浓度:

内毒素:<1.0 EU per 1 ug of protein (determined by LAL method)

存储: +4 ° C 保存 (1-2 周). 长期保存在 -20 ° C 或者 -70 ° C. 避免反复冻融.