

本公司提供的电子版说明书仅供参考，实验请以收到的纸质手册为准。

Recombinant Human EpCAM / TROP-1 / TACSTD1 Protein (His tag)

产品货号: TP07649

第三版

别名:DIAR5;EGP-2;EGP314;EGP40;ESA;HNPC8;KS1/4;KSA;M4S1;MIC18;MK-1;TACSTD1;TROP-1;TROP1

描述:Epithelial Cell Adhesion Molecule (EpCAM), also known as GA733-2 antigen, is a type II transmembrane glycoprotein composed of an extracellular domain with two EGF-Like repeats and a cysteine-rich region, a transmembrane domain and a cytoplasmic domain. It modulates cell adhesion and proliferation. Its overexpression has been detected in many epithelial tumours and has been associated with high stage, high grade and a worse survival in some tumour types. EpCAM has been shown to function as a calcium-independent homophilic cell adhesion molecule that does not exhibit any obvious relationship to the four known cell adhesion molecule superfamilies. However, recent insights have revealed that EpCAM participates in not only cell adhesion, but also in proliferation, migration and differentiation of cells. In addition, recent study revealed that EpCAM is the Wnt-beta-catenin signaling target gene and may be used to facilitate prognosis. It has oncogenic potential and is activated by release of its intracellular domain, which can signal into the cell nucleus by engagement of elements of the wnt pathway. Immune Checkpoint Immunotherapy Cancer Immunotherapy Targeted Therapy

配方:PBS

分子量:29 kDa

序列:Met 1-Lys265

纯度:> 95% by HPLC

浓度:

内毒素:<1.0 EU per 1 ug of protein (determined by LAL method)

存储: +4 ° C 保存 (1-2 周). 长期保存在 -20 ° C 或者 -70 ° C. 避免反复冻融.