

Anti-Human/Mouse/Rat Phospho-MAPK8IP1 (Thr103) Polyclonal Antibody

Polyclonal Antibody

Cat.NO.: PA01743

3th Edition

Description:The JNK-interacting protein (JIP) group of scaffold proteins selectively mediates JNK signaling by aggregating specific components of the MAPK cascade to form a functional JNK signaling module and is required for JNK activation in response to excitotoxic stress. Cytoplasmic JIP1 causes inhibition of JNK-regulated activity by retaining JNK in the cytoplasm and inhibiting JNK phosphorylation of c-Jun. It may also participate in ApoER2-specific reelin signaling and directly, or indirectly, regulates GLUT2 gene expression and beta-cell function. It appears to have a role in cell signaling in mature and developing nerve terminals and may function as a regulator of vesicle transport, through interactions with the JNK-signaling components and motor proteins. It functions as an anti-apoptotic protein whose level seems to influence the beta-cell death or survival response.

Antigen:Synthesized peptide derived from human JIP-1 around the phosphorylation site of T103.

Form:

How to use:1.0 ml distilled water will be added to the product

Stability: Lyophilized product, 5 years at 2 – 8°C; Solution, 2 years at –20°C

Dilution:PBS (pH7.4) containing 1% BSA

Application:This antibody can be used for western blotting in concentration of 1?5?g/ml.

Specificity:Highly expressed in brain. Expressed in neurons, localizing to neurite tips in differentiating cells. Also expressed in the pancreas, testis and prostate. Low levels in heart, ovary and small intestine. Decreased levels in pancreatic beta cells sensitize cells to IL-1-beta-induced apoptosis.