

Instruction manual FOR RESEARCH USE ONLY NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

Anti-Human ACP4 Polyclonal Antibody

Polyclonal Antibody

Cat.NO.: PA10475

3th Edition

Description: Acid phosphatases are enzymes capable of hydrolyzing orthophosphoric acid esters in an acid medium. This gene is up-regulated by androgens and is down-regulated by estrogens in the prostate cancer cell line. This gene exhibits a lower level of expression in testicular cancer tissues than in normal tissues. The protein encoded by this gene has structural similarity to prostatic and lysosomal acid phosphatases. Alternatively spliced transcript variants have been described, but their biological validity has not been determined.

Antigen: Synthetic peptide of human ACPT

Form:

How to use:1.0 ml distilled water will be added to the product

Stability: Lyophilized product, 5 years at 2 – 8°C; Solution, 2 years at –20°C

Dilution: PBS (pH7.4) containing 1% BSA

Application: This antibody can be used for western blotting in concentration of 1?5?g/ml.

Specificity:Expressed mainly in the testis. Also expressed in the brain where they are enriched at the postsynaptic sites. Expressed at lower levels in the trachea, prostate, bone marrow, spinal cord, colon, fetal brain, heart, thymus, fetal liver, spleen, leukocytes, ovary, small intestine, pancreas and skeletal muscle. Expression is significantly lower in testicular cancer tissues than in normal testicular tissues. Isoform 3 is expressed in the testis, trachea, prostate and bone marrow.1 Publication

1 / 1