

## Instruction manual FOR RESEARCH USE ONLY NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

ANP32A, 1-249aa, Human, His tag, E.coli

Cat.NO.: TP01171

3th Edition

**Synonyms:** Acidic leucine-rich nuclear phosphoprotein 32 family, member A; I1PP2A; LANP; MAPM; PHAP1; PHAP1; PP32; Mapmodulin.

**Description:**ANP32A (acidic leucine-rich nuclear phosphoprotein 32 family member A) has been shown to interact with MAP1B, TAF1A and Protein SET. This protein Implicated in a number of cellular processes, including proliferation, differentiation, caspase-dependent and caspase-independent apoptosis.

Form:Liquid. 20mM Tris-HCl buffer (pH8.0) containing 10% glycerol, 1mM DTT, 100mM NaCl, 0.1mM PMSF.

Molecular Weight: 30.7kDa (269aa), confirmed by MALDI-TOF.

## Sequences:

MGSSHHHHHHSSGLVPRGSHMEMGRRIHLELRNRTPSDVKELVLDNSRSNEGKLEGLTDEFEELEFLSTINVGLTS IANLPKLNKLKKLELSDNRVSGGLEVLAEKCPNLTHLNLSGNKIKDLSTIEPLKKLENLKSLDLFNCEVTNLNDYRENV FKLLPQLTYLDGYDRDDKEAPDSDAEGYVEGLDDEEEDEDEEEYDEDAQVVEDEEDEDEEEGEEDVSGEEE DEEGYNDGEVDDEEDEEELGEEERGQKRKREPEDEGEDDD

Purity:> 95% by HPLC

Concentration: 0.5 mg/ml (determined by Bradford assay).

Endotoxin Level:<1.0 EU per 1 ug of protein (determined by LAL method)

**Storage:**Can be stored at +4°C short term (1-2 weeks). For long term storage, aliquot and store at -20°C or -70°C. Avoid repeated freezing and thawing cycles.

1/1