

Instruction manual FOR RESEARCH USE ONLY NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

ARF3, 1-181aa, Human, His tag, E.coli

Cat.NO.: TP01206

3th Edition

Synonyms: ADP-ribosylation factor 3.

Description:ARF3, also known as ADP-ribosylation factor 3, functions as an allosteric activator of the cholera toxin catalytic subunit, an ADP-ribosyltransferase. This protein involved in protein trafficking; may modulate vesicle budding and uncoating within the Golgi apparatus.

Form:Liquid. 20mM Tris-HCl buffer (pH8.0) containing 20% glycerol, 1mM DTT

Molecular Weight: 22.8 kDa (201aa), confirmed by MALDI-TOF

Sequences:

MGSSHHHHHHSSGLVPRGSHMGNIFGNLLKSLIGKKEMRILMVGLDAAGKTTILYKLKLGEIVTTIPTIGFNVETVEYK NISFTVWDVGGQDKIRPLWRHYFQNTQGLIFVVDSNDRERVNEAREELMRMLAEDELRDAVLLVFANKQDLPNAM NAAEITDKLGLHSLRHRNWYIQATCATSGDGLYEGLDWLANQLKNKK

Purity:> 95% by HPLC

Concentration:1 mg/ml (determined by Bradford assay)

Endotoxin Level:<1.0 EU per 1 ug of protein (determined by LAL method)

Storage:Can be stored at +4°C short term (1-2 weeks). For long term storage, aliquot and store at -20°C or -70°C. Avoid repeated freezing and thawing cycles.

1/1