

Beta-lactamase, 20-377aa, E.coli, His tag, E.coli

Cat.NO.: TP01327

3th Edition

Synonyms:ampC, ampA, Cephalosporinase.

Description:AmpC, also known as Beta-lactamase, is the most widespread resistance mechanism to beta-lactam antibiotics, such as the penicillins and the cephalosporins. These antibiotics have a common element in their molecular structure: a four-atom ring known as a beta-lactam.

Form:Liquid. 20mM Tris-HCl buffer (pH8.0) containing 10% glycerol

Molecular Weight:41.8 kDa (379aa) confirmed by MALDI-TOF

Sequences:

MGSSHHHHHHSSGLVPRGSHMAPQQINDIVHRTITPLIEQQKIPGMAVAVIYQGKPYFTWGYADIAKKQPVTQQTL
FELGSVSKTFTGVLGGDAIARGEIKLSDPTTKYWPELTAKQWNGITLLHLATYTAGGLPLQVPDEVKSSSDLLRFYQ
NWQPAWAPGTQRLYANSSIGLFGALAVKPSGLSFEQAMQTRVFQPLKLNHTWINVPPAEEKNYAWGYREGKAVH
VSPGALDAEAYGVKSTIEDMARWVQSNLKPLDINEKTLQQGIQLAQSRYWQTGDMYQGLGWEMLDWPNPDSIIN
GSDNKIALAARPVKAITPPTPAVRASWVHKTGATGGFGSYVAFIPEKELGIVMLANKNYPNPARVDAAWQILNALQ

Purity:> 95% by HPLC

Concentration:1 mg/ml (determined by Bradford assay)

Endotoxin Level:<1.0 EU per 1 ug of protein (determined by LAL method)

Storage:Can be stored at +4°C short term (1-2 weeks). For long term storage, aliquot and store at -20°C or -70°C. Avoid repeated freezing and thawing cycles.