

**Ephrin-B2, 29-232aa, Mouse, His tag, Insect cell****Cat.NO.: TP02033**

3th Edition

**Synonyms:**Efnb2, ELF-2, Epl5, Eplg5, Htk-L, LERK-5, Lerk5, NLERK-1

**Description:**EFNB2, also known as ephrin-B2, is cell surface transmembrane ligand for Eph receptors, a family of receptor tyrosine kinases which are crucial for migration, repulsion and adhesion during neuronal, vascular and epithelial development. The signaling pathway downstream of the receptor is referred to as forward signaling while the signaling pathway downstream of the ephrin ligand is referred to as reverse signaling. It binds to receptor tyrosine kinase including EPHA4, EPHA3 and EPHB4. Together with EPHB4 plays a central role in heart morphogenesis and angiogenesis through regulation of cell adhesion and cell migration. EPHB4-mediated forward signaling controls cellular repulsion and segregation from EFNB2-expressing cells. It may play a role in constraining the orientation of longitudinally projecting axons. Recombinant mouse EFNB2, fused to His-tag at C-terminus, was expressed in insect cell and purified by using conventional chromatography techniques.

**Form:**Liquid. In Phosphate Buffered Saline (pH 7.4) containing 10% glycerol.

**Molecular Weight:**23.4kDa (212aa) 28-40KDa (SDS-PAGE under reducing conditions.)

**Sequences:**

RSIVLEPIYWNSSNSKFLPGQGLVLYPQIGDKLDIICPKVDSKTVGQYEYYKVYMVVDKDQADRCTIKKENTPLLNCAR  
PDQDVKFTIKFQEFSPNLWGLEFQKNKDYYIISTSNGLSLEGLDNQEGGVCQTRAMKILMKVGQDASSAGSARNHG  
PTRRPELEAGTNGRSSTTSPFVKPNPGSSTDGNSAGHSGNLLGSEVALFALEHHHHHH

**Purity:**> 95% by HPLC

**Concentration:**0.5mg/ml (determined by Absorbance at 280nm)

**Endotoxin Level:**<1.0 EU per 1 ug of protein (determined by LAL method)

**Storage:**Can be stored at +4°C short term (1-2 weeks). For long term storage, aliquot and store at -20°C or -70°C. Avoid repeated freezing and thawing cycles.