

FST, 30-344aa, Human, His tag, E.coli

Cat.NO.: TP02154

3th Edition

Synonyms:Follistatin , FS

Description:Follistatin is a single-chain gonadal protein that specifically inhibits follicle-stimulating hormone release. The single FST gene encodes two isoforms, FST317 and FST344 containing 317 and 344 amino acids respectively, resulting from alternative splicing of the precursor mRNA. In a study in which 37 candidate genes were tested for linkage and association with polycystic ovary syndrome (PCOS) or hyperandrogenemia in 150 families, evidence was found for linkage between PCOS and follistatin. Recombinant human FST protein, fused to His-tag at N-terminus, was expressed in E.coli and purified by using conventional chromatography techniques.

Form:Liquid. In 20mM Tris-HCl buffer (pH 8.0) containing 0.15M NaCl, 10% glycerol, 1mM DTT

Molecular Weight:37.0 kDa (336aa) confirmed by MALDI-TOF

Sequences:

MGSSHHHHHSSGLVPRGSHMGNCWLRQAKNGRCQVLYKTELSKEECCSTGRLSTSWTEEDVNDNTLFKWMIF
NKGAPNCIPCKETCENVDCGPGKCRMNKKNKPRCVCAPDCSNITWKGVPVCGLDGKTYRNECALLKARCKEQPE
LEVQYQGRCKKTCRDVFCPGSSTCVVDQTNNAVCVTCNRICPEPASSEQYLCGNDGVTYSSACHLRKATCLLGRS
IGLAYEGKCIKAKSCEDIQCTGGKKCLWDFKVGRGRCSLDELCPDSKSDEPVCASDNATYASECAMKEAACSSG
VLLEVKHSGSCNSISEDTEEEEEDEDQDYSFPISSILEW

Purity:> 95% by HPLC

Concentration:0.5 mg/ml (determined by Bradford assay)

Endotoxin Level:<1.0 EU per 1 ug of protein (determined by LAL method)

Storage:Can be stored at +4°C short term (1-2 weeks). For long term storage, aliquot and store at -20°C or -70°C. Avoid repeated freezing and thawing cycles.