

FUCA2, 29-467aa Human, His tag, E.coli

Cat.NO.: TP02161

3th Edition

Synonyms: Plasma alpha-L-fucosidase, Fucosidase, alpha-L- 2, plasma, dJ20N2.5, RP1-20N2.5

Description:FUCA2 is a plasma alpha-L-fucosidase, which represents 10-20% of the total cellular fucosidase activity. This protein is a member of the glycosyl hydrolase 29 family, and catalyzes the hydrolysis of the alpha-1,6-linked fucose joined to the reducing-end N-acetylglucosamine of the carbohydrate moieties of glycoproteins. FUCA2 is essential for Helicobacter pylori adhesion to human gastric cancer cells. Recombinant human FUCA2 protein, fused to His-tag at N-terminus, was expressed in E.coli.

Form:Liquid, In 20mM phosphate (pH8.0) containing 10% glycerol

Molecular Weight: 53.3 kDa (462aa)

Sequences:

MGSSHHHHHHSSGLVPRGSHMGSHSATRFDPTWESLDARQLPAWFDQAKFGIFIHWGVFSVPSFGSEWFWWY WQKEKIPKYVEFMKDNYPPSFKYEDFGPLFTAKFFNANQWADIFQASGAKYIVLTSKHHEGFTLWGSEYSWNWNA IDEGPKRDIVKELEVAIRNRTDLRFGLYYSLFEWFHPLFLEDESSSFHKRQFPVSKTLPELYELVNNYQPEVLWSDG DGGAPDQYWNSTGFLAWLYNESPVRGTVVTNDRWGAGSICKHGGFYTCSDRYNPGHLLPHKWENCMTIDKLSW GYRREAGISDYLTIEELVKQLVETVSCGGNLLMNIGPTLDGTISVVFEERLRQMGSWLKVNGEAIYETHTWRSQNDT VTPDVWYTSKPKEKLVYAIFLKWPTSGQLFLGHPKAILGATEVKLLGHGQPLNWISLEQNGIMVELPQLTIHQMPCK WGWALALTNVI

Purity:> 95% by HPLC

Concentration:1 mg/ml (determined by Bradford assay)

Endotoxin Level:<1.0 EU per 1 ug of protein (determined by LAL method)

Storage:Can be stored at +4°C short term (1-2 weeks). For long term storage, aliquot and store at -20°C or -70°C. Avoid repeated freezing and thawing cycles.