

Instruction manual FOR RESEARCH USE ONLY NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

GDF5, 376-495aa, Mouse, His tag, E.coli

Cat.NO.: TP02223

3th Edition

Synonyms: Growth/differentiation factor 5 precursor, bp, brp, Cdmp-1

Description:Growth/differentiation factor 5 precursor, also known as GDF5, is a member of the TGF superfamily. GDF5 has been shown to induce activation of plasminogen activator, thereby inducing angiogenesis. It is predominantly expressed in long bones during fetal embryonic development and is involved in bone formation. GDF5mutations have been identified in mice with the mutation brachypodism (bp), a mutation which affects the length and number of bones in limbs. Recombinant mouse GDF5 protein, fused to His-tag at N-terminus, was expressed in E.coli.

Form:Liquid. In 20mM Tris-HCl buffer (pH 8.0) containing 10% glycerol

Molecular Weight: 16kDa (143aa)

Sequences:

MGSSHHHHHHSSGLVPRGSHMGSAPLANRQGKRPSKNLKARCSRKALHVNFKDMGWDDWIIAPLEYEAFHCEGL CEFPLRSHLEPTNHAVIQTLMNSMDPESTPPTCCVPTRLSPISILFIDSANNVVYKQYEDMVVESCGCR

Purity:> 95% by HPLC

Concentration: 0.5 mg/ml (determined by Bradford assay)

Endotoxin Level:<1.0 EU per 1 ug of protein (determined by LAL method)

Storage:Can be stored at +4°C short term (1-2 weeks). For long term storage, aliquot and store at -20°C or -70°C. Avoid repeated freezing and thawing cycles.

1/1