

GOT2, 30-430aa, Human, His tag, E.coli

Cat.NO.: TP02311

**3th Edition** 

## Synonyms:KAT4, KATIV, mitAAT

**Description:**GOT2, also known as glutamate oxaloacetate transaminase 2, belongs to the class-I pyridoxalphosphate-dependent aminotransferase family. glutamate oxaloacetate transaminas is a pyridoxal phosphatedependent enzyme which exists in cytoplasmic and inner-membrane mitochondrial forms, GOT1 and GOT2, respectively. GOT plays a role in amino acid metabolism and the urea and tricarboxylic acid cycles. The two enzymes are homodimeric and show close homology. Recombinant human GOT2 protein, fused to His-tag at Nterminus, was expressed in E.coli and purified by using conventional chromatography techniques.

Form:Liquid. In 20mM Tris-HCl buffer (pH 8.0) containing 10% glycerol, 1mM DTT, 0.15M NaCl

Molecular Weight:47 kDa(424aa), confirmed by MALDI-TOF

## Sequences:

MGSSHHHHHHSSGLVPRGSHMGSSSWWTHVEMGPPDPILGVTEAFKRDTNSKKMNLGVGAYRDDNGKPYVLPS VRKAEAQIAAKNLDKEYLPIGGLAEFCKASAELALGENSEVLKSGRFVTVQTISGTGALRIGASFLQRFFKFSRDVFL PKPTWGNHTPIFRDAGMQLQGYRYYDPKTCGFDFTGAVEDISKIPEQSVLLLHACAHNPTGVDPRPEQWKEIATVV KKRNLFAFFDMAYQGFASGDGDKDAWAVRHFIEQGINVCLCQSYAKNMGLYGERVGAFTMVCKDADEAKRVESQ LKILIRPMYSNPPLNGARIAAAILNTPDLRKQWLQEVKVMADRIIGMRTQLVSNLKKEGSTHNWQHITDQIGMFCFTG LKPEQVERLIKEFSIYMTKDGRISVAGVTSSNVGYLAHAIHQVTK

Purity:> 95% by HPLC

**Concentration:**0.5 mg/ml (determined by Bradford assay)

Endotoxin Level:<1.0 EU per 1 ug of protein (determined by LAL method)

**Storage:**Can be stored at +4°C short term (1-2 weeks). For long term storage, aliquot and store at -20°C or -70°C. Avoid repeated freezing and thawing cycles.