

Instruction manual FOR RESEARCH USE ONLY NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

Growth hormone receptor, 19-265aa, Rat, His tag, Insect cell

Cat.NO.: TP02337

3th Edition

Synonyms: GHR, GHR/BP

Description:GHR, also known as growth hormone receptor, is a member of the cytokine receptor superfamily. GHR forms a complex with a tyrosine kinase, suggesting involvement of a ligand-activated tyrosine kinase in intracellular signaling by growth hormone (GH). Binding of GH to its receptor results in dimerization of the receptor, phosphorylation of the tyrosine kinase JAK2 and of the receptor, followed by a cascade of protein phosphorylations. Recombinant rat GHR, fused to His-tag at C-terminus, was expressed in insect cell and purified by using conventional chromatography techniques.

Form:Liquid. In Phosphate Buffered Saline (pH 7.4) containing 10% glycerol.

Molecular Weight:29.4kDa (255aa), 28-40KDa (SDS-PAGE under reducing conditions)

Sequences:

FPGSGATPATLGKASPVLQRINPSLRESSSGKPRFTKCRSPELETFSCYWTEGDDHNLKVPGSIQLYYARRIAHEW TPEWKECPDYVSAGANSCYFNSSYTSIWIPYCIKLTTNGDLLKEKCFTVDEIVQPDPPIGLNWTLLNISLPGIRGDIQV SWQPPPSADVLKGWIILEYEIQYKEVNETKWKTMSPIWSTSVPLYSLRLDKEHEVRVRSRQRSFEKYSEFSEVLRV TFPQMDTLAACEEDFRLEHHHHHH

Purity:> 95% by HPLC

Concentration:0.5mg/ml (determined by Absorbance at 280nm)

Endotoxin Level:<1.0 EU per 1 ug of protein (determined by LAL method)

Storage:Can be stored at +4°C short term (1-2 weeks). For long term storage, aliquot and store at -20°C or -70°C. Avoid repeated freezing and thawing cycles.

1/1