

## Instruction manual FOR RESEARCH USE ONLY NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

GSTM2, 1-218aa, Human, His tag, E.coli

Cat.NO.: TP02355

3th Edition

Synonyms: Glutathione S-transferase Mu 2, GST4, GSTM, GSTM2-2, GTHMUS

**Description:**GSTM2, also known as Glutathione S- transferase Mu 2, is member of the glutathione s-transferase(GST) family of proteins. There are eight families of GST proteins, namely alpha, kappa, mu, omega, pi, sigma, theta and zeta, each of which is composed of proteins that have a variety of functions throughout the cell. The mu class of enzymes functions in the detoxification of electrophilic compounds, including carcinogens, therapeutic drugs, environmental toxins and products of oxidative stress, by conjugation with glutathione.

Form:Liquid. 20mM Tris-HCl buffer (pH8.0) containing 10% glycerol 0.1M NaCl,1mM DTT

Molecular Weight: 27.9 kDa (238aa), confirmed by MALDI-TOF

## Sequences:

MGSSHHHHHHSSGLVPRGSHMPMTLGYWNIRGLAHSIRLLLEYTDSSYEEKKYTMGDAPDYDRSQWLNEKFKLG LDFPNLPYLIDGTHKITQSNAILRYIARKHNLCGESEKEQIREDILENQFMDSRMQYDVLERNQVFEPSCLDAFPNLK DFISRFEGLEKISAYMKSSRFLPRPVFTKMAVWGNKMPMTLGYWNIRGLAHSIRLLLEYTDSSYEEKKYTMGDAPD YDRSQWLNEKFKLGLDFPNLPYLIDGTHKIENQFMDSRMQLAKLCYDPDFEKLKPEYLQALPEMLKLYSQFLGKQP WFLGDKITFVDFIAYDVLERNQVFEPSCLDAFPNLKDFISRFEGLEKISAYMKSSRFLPRPVFTKMAVWGNK

Purity:> 95% by HPLC

Concentration: .5 mg/ml (determined by Bradford assay)

Endotoxin Level:<1.0 EU per 1 ug of protein (determined by LAL method)

**Storage:**Can be stored at +4°C short term (1-2 weeks). For long term storage, aliquot and store at -20°C or -70°C. Avoid repeated freezing and thawing cycles.

1/1