

**HAX1, 1-279aa, Human, His tag, E.coli**

**Cat.NO.: TP02406**

3th Edition

**Synonyms:**HCLS1 associated protein X-1 isoform a, HCLSBP1, HS1BP1, SCN3

**Description:**HAX1 is known to associate with HS1, a substrate of Src family tyrosine kinases. It also interacts with the product of PKD2, mutations in which are associated with autosomal-dominant polycystic kidney disease, and with F-actin-binding protein, cortactin. It is associated with autosomal recessive severe congenital neutropenia, also known as Kostmann syndrome. Recombinant human HAX1 protein, fused to His-tag at N-terminus, was expressed in E.coli and purified by using conventional chromatography techniques.

**Form:**Liquid. 20mM Tris-HCl buffer (pH8.0) containing 10% glycerol 0.1M NaCl

**Molecular Weight:**33.7 kDa(299aa) confirmed by MALDI-TOF

**Sequences:**

MGSSHHHHHSSGLVPRGSHMSLFDLFRGFFGFPGRSHRDPFFGGMTRDEDDDEEEEEEGGSWGRGNPRFH  
SPQHPPPEEFGFGFSFSPGGGIRFHDNFGFDDLVRDFNSIFSDMGAWTLP SHPPELPGPESETPGERLREGQTLRD  
SMLKYPDSHQPRIFGGVLESDARSESPQPAPDWGSQRPFHRFDDVWPMDPHPRTREDNDLDSQVSQEGGLPVL  
QPQPKSYFKSISVTKITKPDGIVEERRTVVDSEGRTETTVTRHEADSSPRGDPE SPRPPALDDAFSILDLFLGRWFR  
SR

**Purity:**> 95% by HPLC

**Concentration:**0.5 mg/ml (determined by Bradford assay)

**Endotoxin Level:**<1.0 EU per 1 ug of protein (determined by LAL method)

**Storage:**Can be stored at +4°C short term (1-2 weeks). For long term storage, aliquot and store at -20°C or -70°C. Avoid repeated freezing and thawing cycles.