

## Instruction manual FOR RESEARCH USE ONLY NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

HCV-Core, 1-120aa, Hepatitis C virus, His tag, E.coli

Cat.NO.: TP02416

3th Edition

Synonyms: Polyprotein, Human Hepatitis C Virus E2 protein fragment

**Description:**HCV-Core protein packages viral RNA to form a viral nucleocapsid, and promotes virion budding. It modulates viral translation initiation by interacting with HCV IRES and 40S ribosomal subunit and also regulates many host cellular functions such as signaling pathways and apoptosis. HCV-Core prevents the establishment of cellular antiviral state by blocking the interferon-alpha/beta (IFN-alpha/beta) and IFN-gamma signaling pathways and by inducing human STAT1 degradation. Recombinant Hepatitis C virus Core protein, fused to His-tag at N-terminus, was expressed in E.coli.

Form:Liquid. In 20mM Tris-HCl buffer (pH 8.0) containing 0.4M Urea, 10% glycerol

Molecular Weight: 15.7 kDa (140aa)

## Sequences:

MGSSHHHHHHSSGLVPRGSHMSTNPKPQRKTKRNTNRRPQDVKFPGGGQIVGGVYLLPRRGPRLGVRATRKTS ERSQPRGRRQPIPKARRPEGRTWAQPGYPWPLYGNEGCGWAGWLLSPRGSRPSWGPTDPRRRSRNLG

Purity:> 95% by HPLC

Concentration: 0.5 mg/ml (determined by Bradford assay)

Endotoxin Level:<1.0 EU per 1 ug of protein (determined by LAL method)

**Storage:**Can be stored at +4°C short term (1-2 weeks). For long term storage, aliquot and store at -20°C or -70°C. Avoid repeated freezing and thawing cycles.

1/1