

Instruction manual FOR RESEARCH USE ONLY NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

HOPX, 1-73aa, Human, His tag, E.coli

Cat.NO.: TP02485

3th Edition

Synonyms: Homeodomain-only protein, CAMEO, HOD, HOP, LAGY, NECC1, OB1, SMAP31, TOTO.

Description:HOPX, also known as homeodomain-only protein, acts via its interaction with SRF, thereby modulating the expression of SRF-dependent cardiac-specific genes and cardiac development. This protein prevents SRF-dependent transcription either by inhibiting SRF binding to DNA or by recruiting histone deacetylase (HDAC) proteins that prevent transcription by SRF.

Form:Liquid. 20mM Tris-HCl buffer (pH8.0) containing 10% glycerol

Molecular Weight: 10.8 kDa (97aa), confirmed by MALDI-TOF

Sequences:

MGSSHHHHHHSSGLVPRGSHMGSHMSAETASGPTEDQVEILEYNFNKVDKHPDSTTLCLIAAEAGLSEEETQKWF KQRLAKWRRSEGLPSECRSVTD

Purity:> 95% by HPLC

Concentration: 1 mg/ml

Endotoxin Level:<1.0 EU per 1 ug of protein (determined by LAL method)

Storage:Can be stored at +4°C short term (1-2 weeks). For long term storage, aliquot and store at -20°C or -70°C. Avoid repeated freezing and thawing cycles.

1/1