

## Instruction manual FOR RESEARCH USE ONLY NOT FOR USE IN CLINICAL DIAGNOSTIC PROCEDURES

IPP-1, 1-171aa, Human, His-tagged, Recombinant, E.coli

Cat.NO.: TP02684

3th Edition

Synonyms: Protein phosphatase inhibitor-1, IPP-1, I-1, PPI-1

**Description:** Protein phosphatase inhibitor-1(IPP-1) plays an important role in the regulation of glycogen metabolism through inhibition of type-1 protein serine/threonine phosphatase(PP1) activity, and it has been implicated in the regulation of cell growth. IPP-1 activation may impose cAMP control over proteins that are not directly phosphorylated by PKA. In the presence of calcium, PPI-1 is inactivated by calcineurin (or PP2B).

Form:Liquid. In 50 mM Tris-HCl buffer (pH 8.0) containing 1 mM DTT,1 mM EDTA, 0.1 mM PMSF, 10% glycerol

Molecular Weight: 20kDa (179aa), confirmed by MALDI-TOF

## Sequences:

MEQDNSPRKIQFTVPLLEPHLDPEAAEQIRRRRPTPATLVLTSDQSSPEIDEDRIPNPHLKSTLAMSPRQRKKMTRIT PTMKELQMMVEHHLGQQQQGEEPEGAAESTGTQESRPPGIPDTEVESRLGTSGTAKKTAECIPKTHERGSKEPST KEPSTHIPPLDSKGANSVLEHHHHHH

Purity:> 95% by HPLC

**Concentration:**1 mg/ml (determined by Bradford assay)

Endotoxin Level:<1.0 EU per 1 ug of protein (determined by LAL method)

**Storage:**Can be stored at +4°C short term (1-2 weeks). For long term storage, aliquot and store at -20°C or -70°C. Avoid repeated freezing and thawing cycles.

1/1